

## Portege M780 Detailed Product Specification<sup>1</sup>

Model Name	Description	Part Number	UPC
<b>M780-ST7200</b>	Genuine Windows® 7 Professional 32-bit, Intel® Core™ i5-520M Processor, 2GB DDR3, 250GB 5400rpm SATA, DVD-SuperMulti, 12.1" diagonal widescreen LED backlight LCD, Intel® 802.11 a/g/n, 6-cell battery, 1 year standard limited warranty	PPM78U-00V00V	883974458516

### Operating System <sup>C1 2</sup>

- [Genuine](#) Windows® 7 Professional 32-bit, [Genuine](#) Windows® 7 Professional 64-bit, includes Windows® XP Tablet PC Edition downgrade
- [Genuine](#) Windows® 7 Ultimate 32-bit, [Genuine](#) Windows® 7 Ultimate 64-bit, includes Windows® XP Tablet PC Edition downgrade
- [Genuine](#) Windows® XP Tablet PC Edition with Windows 7 Professional Recovery

### Processor<sup>3</sup> and Graphics<sup>4</sup>

- Intel® Core™ i5-520M Processor
  - 2.40 GHz (2.93 GHz with Turbo Boost Technology), 3MB L3 Cache
- Intel® Core™ i7-620M Processor
  - 2.66 GHz (3.33 GHz with Turbo Boost Technology), 4MB Cache
- Mobile Intel® QM57 Express Chipset (AMT 6.0)
- Intel® HD Graphics with 64MB-1272MB dynamically allocated shared graphics memory

### Memory<sup>5</sup>

- Configured with 2GB DDR3 1066MHz
- 2 main memory slots. Both slots may be occupied
- 2GB (Min)/8GB (Max), with 1GB, 2GB, or 4GB DDR3 memory modules

### Storage Drive<sup>6</sup>

- 250GB (5400 RPM), 320GB (7200) Serial ATA hard disk drive
- 128GB Serial ATA SDD (Optional)

### Ultra SlimBay II Optical Disk Drive<sup>7</sup>

- DVD SuperMulti drive supporting 11 formats
  - Maximum speed and compatibility: CD-ROM (24x), CD-R (24x), CD-RW (16x), DVD-ROM (8x), DVD-R (Single Layer, (8x)), DVD-R (Double Layer, (4x)), DVD-RW (6x), DVD+R (Single Layer, (8x)), DVD+R (Double Layer, (4x)), DVD+RW (8x), DVD-RAM (5x)

### Display<sup>8</sup>

- 12.1" diagonal widescreen LED backlight LCD display at 1280 x 800 (WXGA) supporting digital pen
  - Touch screen (Optional)

### Sound

- Built-in stereo speakers

### Input Devices

- Standard 85-key US keyboard (black)
- Digitizer Pen
- TouchPad™ pointing device
- TouchPad™ Enable/Disable

### Communications

- Integrated Webcam (Optional)
- Modem<sup>9</sup> (Optional)
- 10/100/1000 Ethernet
- Intel® Centrino® Advanced-N 6200 (802.11 a/g/n)<sup>10</sup>
- Bluetooth Version 2.1 +EDR (Optional)

### Expandability

- ExpressCard™ slot
- Memory Card Reader
  - Secure Digital, Secure Digital High Capacity, Mini SD Card, Micro SD Card, Memory Stick™, Memory Stick PRO™, Multi Media Card, XD Card [shared slot]

### Ports

- Video
  - RGB (monitor) output
- Audio
  - Microphone input port
  - Headphone output port
- Data
  - i.LINK™ IEEE-1394
  - 3 USB v2.0 ports
    - 2 x USB v2.0 ports
    - 1 x eSATA/USB combo port with USB Sleep and Charge<sup>11</sup>
  - RJ-45 LAN port
  - RJ-11 modem port
- Security
  - Trusted Platform Module (TPM v1.2)
  - Fingerprint reader
  - Reinforced Security Cable Lock Slot
- Supported on optional Toshiba Express Port Replicator II
  - USB v2.0 – 6 ports
  - Parallel port
  - Serial port
  - RGB port (Monitor out)
  - DVI-D
  - Audio in
  - Audio out
  - 10/100/1000 Ethernet port
  - AC adapter and security lock supported

### Physical Description

- Titanium Silver
- Dimensions (W x D x H ): 12.0" x 9.41" x 1.47"/1.55"
- Weight: Starting at 4.63 lbs., depending upon configuration<sup>12</sup>

### Battery<sup>13</sup>

- 6-cell battery
- Dimensions (WxDxH): 4.98" x 2.74" x 0.80"
- Weight: starting at 0.71 lbs

### Power Supply

- 75W (15V x 5A) 100-240V AC Adapter
- Dimensions (WxDxH): 5" x 2.01" x 1.20"
- Weight: starting at 0.78 lbs

### Toshiba EasyGuard® 14

- Protect & Fix
  - Toshiba PC Health Monitor
  - TOSHIBA HDD protection (3D Accelerometer)
  - TOSHIBA Shock Protection System
  - HALT Tested Design
  - LCD Cover pressure Resistant Design
  - Hinge Design Enhancement
  - Spill Resistant Keyboard
  - TOSHIBA PC Diagnostic Tool
- Secure
  - Multiple-Level Password Utilities
  - Fingerprint Reader (includes software for password and identity management)
  - AuthenTec EntréPad® TrueSuite®
  - Infineon TPM Software Professional Package
  - Trusted Platform Module v1.2
  - TOSHIBA Secure Digital Token Utility
  - Reinforced Security Cable Lock Slot
  - Execute Disable Bit

- Connect
  - Diversity Antenna
  - TOSHIBA ConfigFree®
  - Voice-over-IP Ready Design
  - TOSHIBA Bluetooth® Stack
  - Wireless Communication On/Off Switch
- Optimize
  - Toshiba Disc Creator
  - TOSHIBA Device Access Control
  - TOSHIBA Power Management Extension
  - TOSHIBA Password Utilities
  - TOSHIBA Recovery Media Creator
  - TOSHIBA eco Utility
  - TOSHIBA Assist
  - TOSHIBA USB Sleep and Charge
  - TOSHIBA Zooming Utility
  - FN Shortcut Keys

## Software <sup>C1 15</sup>

- Toshiba Software and Utilities
  - Electronic User's Guide
  - Toshiba Tablet PC Extension
  - Bluetooth Stack for Windows by Toshiba
  - TOSHIBA Recovery Media Creator
  - TOSHIBA Bulletin Board™
  - TOSHIBA ReelTime™
  - TOSHIBA ConfigFree®
  - TOSHIBA Disc Creator
  - Hard Disc Drive (HDD) Recovery
  - TOSHIBA DVD Player
  - TOSHIBA Power-saving eco utility™
  - TOSHIBA Face Recognition
  - TOSHIBA PC Health Monitor
- Third-party Software
  - Microsoft® Windows Media Player
  - Microsoft Office OneNote® 2007
  - Internet Explorer 8
  - Adobe® Acrobat® Reader
  - Google® Toolbar 5
  - Sun® Java™ 2 Runtime Environment
  - Infineon TPM Software Professional Package
  - AuthenTec EntréPad® TrueSuite® technology
  - Microsoft® Office® 2007 Basic Edition (If purchased at time of system configuration)
  - Microsoft® Office® 2007 Home and Student 2007 Edition (If purchased at time of system configuration)
  - Microsoft® Office® 2007 Small Business Edition (If purchased at time of system configuration)
  - Microsoft® Office® Professional 2007 (If purchased at time of system configuration)
- Trial Software
  - Norton Internet Security™ 2010, 30-day trial
  - Microsoft® Office Ready with Microsoft Office Professional 2007 Edition, 60-day trial
- Special Offers
  - Toshiba Online Backup
  - Skype®

## Environmental Specifications

- This product is RoHS<sup>16</sup> compatible
- Energy Star 5.0 Qualified
- EPEAT™ Gold Compliant

	Operating	Non-operating
Temperature <sup>17</sup>	5° to 35° C	-20° to 65° C
Relative Humidity (non-condensing)	20% to 80%	10% to 90%
Thermal Gradient	15° C per hour (max)	20° C per hour (max)
Altitude (relative to sea level)	0 to 3,000 meters	0 to 10,000 meters

Shock	10G	60G
Vibration	0.5G	1.0G

## TECRA / PORTEGE – 1 YEAR STANDARD LIMITED WARRANTY<sup>18</sup>

Includes International Limited Warranty for obtaining service when traveling outside the United States.

### Service Upgrades and Extensions

Toshiba offers many different enhanced services such as SystemGuard®, On-Site Repair, and ServiceExpress to provide additional support to your notebook PC. For a full description and complete list of programs and program terms and conditions, please visit [www.pcsupport.toshiba.com](http://www.pcsupport.toshiba.com).

## Recommended Services

### Extended Service Plan

Provides an extended service plan for up to 4 total years from the original notebook purchase date. Must be purchased within the first 6 months of notebook purchase.

Part Number	Description
WSN-PTQQ4V	4th Year Extended Service Plan

### SystemGuard Accidental Damage Service w/ ServiceExpress<sup>19</sup>

Provides advanced protection from damage caused from handling. Select your express repair service with either Depot Express or Carry-In Express and go to the front of the line. Extended Service Plan included with 4 Year plan. Must be purchased within the first 30 days of notebook purchase.

Part Number	Description
WSN-PQGP3V	1st/2nd/3rd Year
WSN-PTGP4V	1st/2nd/3rd/4th Year + Extended Service Plan

### SystemGuard Accidental Damage Service + On-Site Repair<sup>20</sup>

Combines SystemGuard and On-Site Repair coverage. Extended Service Plan included with 4 Year plan. Must be purchased within the first 30 days of notebook purchase.

Part Number	Description
WSN-PQGN3V	1st/2nd/3rd Year
WSN-PTGN4V	1st/2nd/3rd/4th Year + Extended Service Plan

### ServiceExpress

Select your express repair service with either Depot Express or Carry-In Express. Depot Express: Your notebook will be repaired and returned via overnight shipment (excluding weekends and holidays). Carry-In Express: Take your notebook into a Premier ASP and go to the front of the line for expedited repair service. Extended Service Plan included with 4 Year plan. Must be purchased within the first 30 days of notebook purchase.

Part Number	Description
WSN-PQQP3V	1st/2nd/3rd Year
WSN-PTQP4V	1st/2nd/3rd/4th Year + Extended Service Plan

### On-Site Repair Service

On-site service will be provided at the customer's home or business location (excluding weekends and holidays) to perform the necessary hardware repairs. Extended Service Plan included with 4 Year plan. Must be purchased within the first 6 months of notebook purchase.

Part Number	Description
WSN-PQQN3V	1st/2nd/3rd Year
WSN-PTQN4V	1st/2nd/3rd/4th Year + Extended Service Plan

## Accessories

For additional and most updated accessories, please visit [www.accessories.toshiba.com](http://www.accessories.toshiba.com)

### Power

Part Number	Description
PA3283U-5ACA	Toshiba 75W Global AC Adapter
PA3191U-5BRS	Toshiba Primary Li Ion Battery Pack (6 Cell)

PA3510U-1BRL	Toshiba Slice Expansion Li Ion Battery (6 Cell)
PA3091U-2CHG	Toshiba Battery Charger w/Integrated AC Adapter
PA3528U-1ETC	Toshiba Battery Charger Adapter for Slice Expansion Battery Pack

## Expansion

Part Number	Description
PA3508U-1PRP	Toshiba Express Port Replicator w/90W AC Adapter
PA3579U-1ETC	Toshiba Universal Notebook/Projector Stand

## Security & Protection

Part Number	Description
PA3610U-1ETC	Toshiba Keyboard Protector
PA410U	Targus DEFCON CL Notebook Cable Lock
PA1437U-1NCS	Toshiba Enhanced Protection Case for Portege M7xx
PA1441U-1NCS*	Toshiba Tablet Portfolio for Portege M7xx

\* Does not accommodate Slice Battery

## Storage

Part Number	Description
-------------	-------------

HDDR250I02R	Toshiba 250GB 2.5" SATA Notebook Hard Drive (5400 RPM)
HDDR320I02R	Toshiba 320GB 2.5" SATA Notebook Hard Drive (5400 RPM)
PA1434U-1ETC	Toshiba HDD Casing for Ultra Slim Bay HDD Adapter
PA3697U-1ETC	Toshiba Ultra Slim Bay II HDD Adapter
PA3556U-1M2G	Toshiba 2GB USB Hi-Speed Flash Drive, ReadyBoost
PA3556U-1M4G	Toshiba 4GB USB Hi-Speed Flash Drive, ReadyBoost
PA3556U-1M8G	Toshiba 8GB USB Hi-Speed Flash Drive, ReadyBoost

## Wireless/Bluetooth

Part Number	Description
PA3624U-1BTM	Toshiba Bluetooth EDR 2.0+EDR Adapter
PA3573U-1ETA	Toshiba Bluetooth Optical Tilt-Wheel Mouse (Black/Silver)
PA3573U-1ETB	Toshiba Bluetooth Optical Tilt-Wheel Mouse (Black/Red)

## Input Devices

Part Number	Description
PA3316U-3ETC	Toshiba Tablet PC Pen II
PA3317U-2ETC	Toshiba Tablet PC Reserve Pen
PA1438U-1ETC	Toshiba Tablet Pen Tether

## Subject to Change

While Toshiba has made every effort at the time of publication to ensure the accuracy of the information provided herein, product specifications, configurations, prices, system/component/options availability are all subject to change without notice. For the most up-to-date product information about your computer, or to stay current with the various computer software or hardware options, visit Toshiba's Web site at <http://www.pcsupport.toshiba.com>

## Return Policy

Notwithstanding anything to the contrary in any third party License Agreement or product documentation supplied with your PC, Toshiba America Information Systems, Inc. ("TAIS") does not accept the return of component parts, or bundled software, that have been removed from the PC system. Pro-rata refunds on individual PC components or bundled software, including the operating system, will not be granted. If you wish to return a complete PC system, contact the TAIS dealer where you purchased the product, and comply with the dealer's standard return policies and procedures.

Toshiba America Information Systems, Incorporated ("TAIS")  
9740 Irvine Boulevard  
Irvine CA 92618

ToshibaDirect website: <http://www.toshibadirect.com>  
TAIS website for resellers: <http://sell.toshiba.com>  
TAIS PC Support website: <http://pcsupport.toshiba.com>

Satellite, ConfigFree and SystemGuard are registered trademarks of Toshiba America Information Systems, Inc. and/or Toshiba Corporation. All other products and names mentioned are the property of their respective owners.

### <sup>01</sup> 64-bit computing:

64-bit computing requires that the following hardware and software requirements are met:

- 64-bit Operating System
- 64-bit CPU, Chipset and BIOS (Basic Input/Output System)
- 64-bit Device drivers
- 64-bit applications

Certain device drivers and/or applications may not be compatible with a 64-bit CPU and therefore may not function properly. See "Detailed Specs" for more information.

<sup>1</sup> **Product Series Legal Footnote.** The product specifications and configuration information are designed for a product Series. Your particular model may not have all the features and specifications listed or illustrated. For more detailed information about the features and specifications on your particular model, please visit Toshiba's Web site at [pcsupport.toshiba.com](http://pcsupport.toshiba.com).

**Product Offering Legal Footnote.** Toshiba America Information Systems, Inc. reserves the right to modify or withdraw this offer at anytime without notice

<sup>2</sup> **Operating System.** Also see **64-Bit Computing** Legal Footnote, if applicable.

Certain Microsoft® software product(s) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software product(s) or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).

Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

**Offers.** Offer terms, duration and product availability all subject to change without notice

<sup>3</sup> **Processor (Central Processing Unit).** Also see **64-Bit Computing** Legal Footnote, if applicable.

CPU performance in your computer product may vary from specifications under the following conditions:

1. use of certain external peripheral products
2. use of battery power instead of AC power
3. use of certain multimedia, computer generated graphics or video applications
4. use of standard telephone lines or low speed network connections
5. use of complex modeling software, such as high end computer aided design applications
6. use of several applications or functionalities simultaneously
7. use of computer in areas with low air pressure (high altitude >1,000 meters or >3,280 feet above sea level)
8. use of computer at temperatures outside the range of 5°C to 30°C (41°F to 86°F) or >25°C (77°F) at high altitude (all temperature references are approximate and may vary depending on the specific computer model – please visit the Toshiba website at [www.pcsupport.toshiba.com](http://www.pcsupport.toshiba.com) for details).

CPU performance may also vary from specifications due to design configuration.

Under some conditions, your computer product may automatically shut-down. This is a normal protective feature designed to reduce the risk of lost data or damage to the product when used outside recommended conditions. To avoid risk of lost data, always make back-up copies of data by periodically storing it on an external storage medium. Use your computer product only under recommended conditions. Read additional restrictions under "Environmental Conditions" in your product "Detailed Specs." Contact Toshiba Technical Service and Support for more information.

<sup>4</sup> **Graphics (Graphics Processing Unit).** GPU performance may vary depending on product model, design configuration, applications, power management settings and features utilized. GPU performance is only optimized when operating in AC power mode and may decrease considerably when operating in battery power mode.

**Total Available Graphics Memory** is the total of, as applicable, Dedicated Video Memory, System Video Memory and Shared System Memory. Shared System Memory will vary depending on system memory size and other factors.

<sup>5</sup> **Memory (Main System).** Part of the main system memory may be used by the graphics system for graphics performance and therefore reduce the amount of main system memory available for other computing activities. The amount of main system memory allocated to support graphics may vary depending on the graphics system, applications utilized, system memory size and other factors. Computers configured with a 32-bit operating system can address up to 3GB of system memory. Only computers configured with a 64-bit operating system can address 4 GB or more of system memory.

<sup>6</sup> **Storage Drive (Internal HDD Capacity).** One Gigabyte (GB) means  $10^9 = 1,000,000,000$  bytes and One Terabyte (TB) means  $10^{12} = 1,000,000,000,000$  bytes using powers of 10. The computer operating system, however, reports storage capacity using powers of 2 for the definition of  $1\text{ GB} = 2^{30} = 1,073,741,824$  bytes and  $1\text{ TB} = 2^{40} = 1,099,511,627,776$  bytes, and therefore shows less storage capacity. Available storage capacity will also be less if the computer includes one or more pre-installed operating systems, such as Microsoft Operating System and/or pre-installed software applications, or media content. Actual formatted capacity may vary.

<sup>7</sup> **Optical Drive.** Due to manufacturing and quality variations in third party optical media (e.g., CD or DVD) or optical media players/recorders, in certain cases, your Toshiba optical drive may not record on certain optical media that bear the applicable logo, or playback optical media recorded by other PCs or optical media recorders. Additionally, certain optical media recorded on your optical drive may not playback or operate properly on other PCs or optical media players. These problems are not due to any defect in your Toshiba PC or optical drive. Please refer to your PC's product specification for listing of specific format compatibilities.

Recording or viewing of certain optical media may be limited or prevented in accordance with applicable copy protection standards.

<sup>8</sup> **Display.** Small bright dots may appear on your screen display when you turn on your PC. Your display contains an extremely large number of thin-film transistors (TFT) and is manufactured using high-precision technology. Any small bright dots that may appear on your display are an intrinsic characteristic of the TFT manufacturing technology. Over a period of time, and depending on the usage of the computer, the brightness of the screen will deteriorate. This is also an intrinsic characteristic of the screen technology. When the computer is operated on battery power, the screen with dim and you may not be able to increase the brightness of the screen while on battery power.

<sup>9</sup> **Modem Speed.** Due to FCC limitations, speeds of 53 kbps are the maximum permissible transmission rates during download. Actual data transmission speeds will vary depending on line conditions.

<sup>10</sup> **Wireless-N.** The wireless adapter is based on a draft release version of the IEEE 802.11n specification, and may not be compatible with, or support all features (e.g., security) of, certain Wi-Fi® equipment.

<sup>11</sup> **USB Sleep & Charge.** The "USB Sleep & Charge function" may not work with certain external devices even if they are compliant with the USB specification. In those cases, turn the power of the computer ON to charge the device.

<sup>12</sup> **Weight.** Weight may vary depending on product configuration, vendor components, manufacturing variability and options selected.

<sup>13</sup> **Battery Life.** Battery life may vary considerably from specifications depending on product model, configuration, applications, power management settings and features utilized, as well as the natural performance variations produced by the design of individual components. Published battery life numbers are achieved on select models and configurations tested by Toshiba at the time of publication. See "Detailed Specs" for specific battery measurement test. Recharge time varies depending on usage. Battery may not charge while computer is consuming full power. After a period of time, the battery will lose its ability to perform at maximum capacity and will need to be replaced. This is normal for all batteries. To purchase a new battery pack, see the accessories information that shipped with your computer or visit the Toshiba web site at [www.accessories.toshiba.com](http://www.accessories.toshiba.com).

<sup>14</sup> **EasyGuard.** Toshiba EasyGuard™ technology comprises a number of features some of which may or may not be available on a particular Toshiba notebook depending on the model selected. See [www.easyguard.toshiba.com](http://www.easyguard.toshiba.com) for detailed information.

<sup>15</sup> **Software.** Also see 64-Bit Computing Legal Footnote, if applicable.

Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

Certain Microsoft® software product(s) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software product(s) or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).

Microsoft® Office 2007 60-Day Trial Version: This trial software will work for 60 days after you first use it. You will not be able to use the software if you do not activate it as described the first time you use the software. You can activate the software by Internet. Internet service charges may apply. If you want to keep the software after the 60-day trial period, you must convert to the perpetual version. You can convert online by following the conversion instructions presented during setup and paying the required fees.

<sup>16</sup> **RoHS.** This notebook is compatible with European Union Directive 2002/95/EC, Restriction of the use of certain Hazardous Substances in electrical and electronic equipment (RoHS), which restricts use of lead, cadmium, mercury, hexavalent chromium, PBB, and PBDE. Toshiba requires its notebook component suppliers to meet RoHS requirements and verifies its suppliers' commitment to meeting RoHS requirements by conducting component sampling inspections during the product design approval process.

<sup>17</sup> **Temperature (Environmental) Conditions.** All temperature references are approximate and the performance of your computer may vary from specifications even when operating within the recommended temperature range.

<sup>18</sup> **Warranty:** The terms and conditions of Toshiba's standard limited warranty are available at [www.warranty.toshiba.com](http://www.warranty.toshiba.com).

<sup>19</sup> **Service Plans:** The terms and conditions of service upgrade and extension plans offered by Toshiba are available at [www.pcsupport.toshiba.com](http://www.pcsupport.toshiba.com).

<sup>20</sup> **Service Plans:** The terms and conditions of service upgrade and extension plans offered by Toshiba are available at [www.pcsupport.toshiba.com](http://www.pcsupport.toshiba.com).